

D4542-1 RETAINER, LH INNER
(LOWER)


PRELIMINARY ISSUE


Rev. PCZ 12/07/22

- NOTES:
- 1) MATERIAL: 6061-T6 ALUMINUM SHEET, 0.032 THICK
PER QQ-A-250/11 OR AMS 4025 OR AMS 4027 OR ASTM B209
REF DART SPEC. M6061T6S.032
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.015 MAX
 - 6) IDENTIFICATION: NONE
 - 7) WEIGHT: 0.17 lbs
 - 8) PROFILE PER DRAWING FILE "D4542-1-REVC.DXF"



PCZ	CORRECT (MIRROR) HOLE LOC. ON -7 (ZN C3-5)	CP	12.07.12
B	RMV FINISH & ADD HOLES (-1/-2/-3/-5/-7) ADD/MODIFY ORIENTATION MARK (C2-4, C5-6)	CP	12.04.20
A	NEW ISSUE	CP	12.01.09
REV.	DESCRIPTION	BY	DATE
DESIGN	DP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	DP		
CHECKED		DRAWING NO.	REV. 0 PCZ
MFG. APPR.		D4542	SHEET 1 OF 5
APPROVED		TITLE	SCALE
DE APPR.		RETAINER, INNER	NTS
DATE	12.07.12	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	





D4542-3 RETAINER, INNER
(SIDE)

NOTES:


- 1) MATERIAL: 6061-T6 ALUMINUM SHEET, 0.032 THICK
PER QQ-A-250/11 OR AMS 4025 OR AMS 4027 OR ASTM B209
REF DART SPEC. M6061T6S.032
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.015 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 0.11 lbs
- 8) PROFILE PER DRAWING FILE "D4542-3-REVC.DXF"



PRELIMINARY ISSUE

Rev PL2 12.07.12

DESIGN	q2	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	q2		
CHECKED		DRAWING NO.	REV. 1 PL2
MFG. APPR.		D4542	SHEET 3 OF 5
APPROVED		TITLE	SCALE
DE APPR.		RETAINER, INNER	NTS
DATE	12.07.12	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



D4542-5 RETAINER, INNER
(TOP CORNER)

NOTES:


- 1) MATERIAL: 6061-T6 ALUMINUM SHEET, 0.032 THICK
PER QQ-A-250/11 OR AMS 4025 OR AMS 4027 OR ASTM B209
REF DART SPEC. M6061T6S.032
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.015 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 0.04 lbs
- 8) PROFILE PER DRAWING FILE "D4542-5-REVC.DXF"



PRELIMINARY ISSUE

Rev PL2 *Rev PL2*
12/07/12

DESIGN	<i>q2</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	<i>q2</i>		
CHECKED		DRAWING NO.	REV. <i>C</i>
MFG. APPR.		D4542	SHEET 4 OF 5
APPROVED		TITLE	SCALE
DE APPR.		RETAINER, INNER	NTS
DATE	12.07.12	COPYRIGHT © 2012 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	



NOTES:

- 1) MATERIAL: 6061-T6 ALUMINUM SHEET, 0.032 THICK
PER QQ-A-250/11 OR AMS 4025 OR AMS 4027 OR ASTM B209
REF DART SPEC. M6061T6S.032
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.015 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 0.07 lbs
- 8) PROFILE PER DRAWING FILE "D4542-7-REVC.DXF"



PRELIMINARY ISSUE

Rev PL2 9/12/07/22

DESIGN	92	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	92		
CHECKED		DRAWING NO.	REV. 92
MFG. APPR.		D4542	SHEET 5 OF 5
APPROVED		TITLE	SCALE
DE APPR.		RETAINER, INNER	NTS
DATE	12.07.12	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	